Hostile Threat Risk Assessment Form IED												Sheet 1 of 1		
PROJE	CT: CITY CENT		- RISK ASSES	SMENT - Im	provised E	Explosive Device	e (Posted, by person, or drop	ped off)		DA	TE: 08 th June	2021		
ACTIVI	TY: ATTRO & TR	O WITH HVM -			SAL					CO	MPLETED B	Y. D. Noad		
Ref.	Sub-standard design ref and issue	Significant Hazard	Population at	Uncontrolled		fication	Risk Control Measure	Action Needed	Residua	Risk Calcula		Comments		
-			Risk	Likelihood	Severity	Rating			Likelih ood	Conseq uences:	Rating			
Bath City Centre Security Scheme	N/A	Improvised Explosive Device Delivered by: Person Post Dropped off		2	6	8 HIGH	The existing CCTV provision provides for good camera coverage of the 'restricted area' and with the proposal for additional camera's to cover blind spots, this will improve the Local authorities ability to support Police in the response phase of a MTA and in the later investigation. ACT Training has been delivered to most operational staff, but refresher training courses need to be scheduled in. ScaN Training has been delivered to CCTV officers from the CTSA's raising awareness for safety and security. The ACT application is another tool which raises awareness and benefits members of the public caught up in a MTFA incident. This includes the principles Run, Hide, Tell. Good collaborative working between Police and CCTV officers. This includes a Police comms device in the CCTV rom which enable's CCTV officers the ability to describe the situation on the ground for Police	Continuous improvements to the CCTV system. Adding new camera's to counter new development and blind spots. Review camera locations to ensure that they are in the best positions Regular review of ACT training/awaren ess Bi-annually exercise to test the operational procedure. Review process for incidents e.g. unauthorised access to the protected zone. Operational group to meet monthly – To include a Police representive. Formal process for information sharing with the Roman Baths	1	2	3 LOW	 PROTECT DUTY The Government has published a consultation document on new Protect duty, aimed at helping protect public venues and spaces froterrorist attacks. Current National Threat level Substantial shows terrorist attack "Likely". Please note The consequences rating is low due to the effects of a detonated IED can be highly destructive. In addition to the initiblast which can be lethal, debris such as broken glass and metal in the form secondary fragmentation, can cause further injury at a considerable distance away from the seat of the explosion. The longer term disruption as a result of the blast can last for many further week leading to business continuity, econom damage and infrastructure challenges. Therefore 1 death, or 100 deaths will have a high severity outcome and is hard immigrate. Eurther work areas to consider: Develop response plans that define clear roles and responsibilities Test, refine and rehearse your response 		

r			,	
		awareness.		
		Work has started with Landlords (southgate) to coordinate response, share preparation effort and receive warnings of an attack before it's started	ScaN training for new CCTV officers. Team review 2 years	
		Bath Improvement District radio system which will raise collaborative comms and eyes on the ground.		
		Officers have been historically trained in Griffin, and Argus raising awareness of people acting suspiciously and how to look out for the signs. However, these products have now been replaced by Act and SCAN.		
		Police have deployed Operation Servator which aims to detect, deter, and disrupt crime.		
		Roman Baths have 24/7 security in place, this is linked into the CCTV Control Room.		
		Impacts on Local Authority should there be an incident		
		Loss of reputation - The reputational damage of a security breach is something that will concern all senior management – the loss of trust following a failure to protect staff, clients or even data may prove difficult to recover.		
		Costs - Lost or destroyed assets may need to be replaced quickly and at great cost. This is in addition to any losses that might be incurred through the suspension of normal business.		

						Health and safety - and safety at regulations place a responsibility on the or occupier of premi have a 'duty of ca staff and visitors. I event of an inciden subsequent inquiry of proceeding will loc evidence that the re legislation was followed	work legal owner ises to re' for In the it, any r court ok for elevant						
Risk Classification	Likelihood:-	Very Likely Likely Possible Unlikely	= =	4 3 2 1	ces of: -	No security measures Some security measures Existing security measures All security measures		4 3 2 1	Risk Ratin 7,8 4,5,6 2, 3,	g = Likelihood + S	Severity = = =	y:- High Significant Low	

Designer / originator: DN

Date 08/06/21